Notice of Allowability	Application No.	Applicant(s)	
	09/852,028	BRAHMAROUTU,	SURENDER V
	Examiner	Art Unit	T T T T T T T T T T T T T T T T T T T
	Jeffrey R. Swearingen	2145	
	Jenrey R. Swearingen	2145	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communication. This application is sufficient to the communication of the communication in the communication is sufficient to the communication of the	his application. If not includ ication will be mailed in due	ed course. THIS
1. This communication is responsive to <u>Amendment and rem</u>	arks of 10/19/2006.		
2. The allowed claim(s) is/are 1-25.			
3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the:		(f) .	
1. Certified copies of the priority documents have			
2. Certified copies of the priority documents have	• •		
3. Copies of the certified copies of the priority do	cuments have been réceived i	n this national stage applica	tion from the
International Bureau (PCT Rule 17.2(a)).		•	
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a IENT of this application.	reply complying with the re	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAN es reason(s) why the oath or d	IINER'S AMENDMENT or N eclaration is deficient.	IOTICE OF
5. X CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.		
(a) 🔲 including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		•	
(b) \(\overline{\overl	s Amendment / Comment or in	the Office action of	
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the he header according to 37 CFR	drawings in the front (not the 1.121(d).	back) of
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I	sit of BIOLOGICAL MATER FOR THE DEPOSIT OF BIOL	RIAL must be submitted. I OGICAL MATERIAL.	Note the
	•		
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Info	mal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sum	nmary (PTO-413), ail Date	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Ar	mendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	. 8. 🛭 Examiner's St	atement of Reasons for Allo	wance
Storegiour material	9.	//	
		JASON CARDONE	
	SUPER	RVISORY PATENT EXAM	MINER

Application/Control Number: 09/852,028 Page 2

Art Unit: 2145

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-25 are allowed.

2. The following is an examiner's statement of reasons for allowance: All relevant art utilizing multiple LIDs on a port belong to Intel, the assignee. Applicant's invention is limited to the usage of multiple LIDs pertaining to an individual port.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Drawings

3. The drawings are objected to because several drawings are handwritten and difficult to read. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Conclusion

Art Unit: 2145

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey R. Swearingen whose telephone number is (571) 272-3921. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Jason Cardone can be reached on 571-272-3933. The fax phone number for the organization where this
application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application
Information Retrieval (PAIR) system. Status information for published applications may be obtained from
either Private PAIR or Public PAIR. Status information for unpublished applications is available through
Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should
you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC)
at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative
or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-2721000.

Jason Cardone Supervisory Patent Examiner

Art Unit 2145